

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

# Makita 18v Impact Wrench

#### **Product Images**

Product Code: P03-0560



## **Short Description**

Powerful and extra-compact, 144 mm-long, 1/2" drive impact wrench. Small size and light weight make this tool easy to use, while offering a max. fastening torque of 330 Nm. Four power settings. A handy LED light.

## Description

Powerful and extra-compact, 144 mm-long, 1/2" drive impact wrench. Small size and light weight make this tool easy to use, while offering a max. fastening torque of 330 Nm. Four power settings. A handy LED light.

#### User benefits

Extremely compact thanks to a brushless motor

Low power consumption thanks to brushless motor

The narrow design of the handle ensures excellent handling

Battery protection system automatically shuts off power when the battery level is low

XPT (Extreme Protection Technology) is engineered for improved dust and water resistance for operation in harsh job site conditions

Technical specifications Nominal Battery Voltage 18 V Voltage LXT Max Fastening Torque Impact Drill 100 / 160 / 210 / 330 Nm No load speed 0 - 1000 / 1800 / 2600 / 3200 min<sup>-1</sup> Impacts per Minute (IPM) 0 - 1800 / 2600 / 3400 / 4000 min<sup>-1</sup> Drive Square 1/2 " Tightening Capacity Standard Bolt M10 - M20 Tightening Capacity High Tensile Bolt M10 - M16 Sound Power Level (LWA) 108 dB(A) Sound Pressure Level (LPA) 97 dB(A) Noise Uncertainty (K Factor) 3 dB(A)

Product Dimensions (L x W x H): 144 x 81 x 246 mm

**Brushless Motor** 

Nut-busting torque 580 Nm

Vibration Level, Impact Tightening of Fasteners of the Maximum Capacity of the Tool 12,5  $\mbox{m/s}^2$ 

Vibration Uncertainty (K Factor), Impact Tightening of Fasteners of the Maximum Capacity of the Tool 1,5  $\rm m/s^2$ 

Max Output Power 420 W

Product net weight 1,2 kg