

# Rod Duct No 2 Ferret Type 2m x 25mm

## Product Images

Product Code: S83-0711





## Short Description

Used and approved by the leading telecom utilities for the installation of cabling, these ferret rods are manufactured from 25mm (15/16") high quality yellow PVC and feature solid brass joints with a triggerlock ( ferret ) mechanism.

The rods can be quickly joined and released, and in addition, rotated in either direction remaining secure in the most demanding conditions.

Diameter: 25mm

Length: 2m

Thread: Male and female **Type A**

### A note on thread connectivity

Four different threads are used to connect the most commonly used duct rods.

**Type A:** S83-1446 Duct Rod No.1 (3 metre) and S83-0711 No.2 (2 metre) Male and Female

**Type B:** S83-1505 Duct Rod No.5 Male and Female

**Type C:** S83-0776 Duct Rod No.3 Continuous Male and Female

**Type D:** S83-0776 Duct Rod No.3 Continuous Male only - For attachment to the bare rod only

Ref: 126277

## Description

Used and approved by the leading telecom utilities for the installation of cabling, these ferret rods are manufactured from 25mm (15/16") high quality yellow PVC and feature solid brass joints with a triggerlock ( ferret ) mechanism.

The rods can be quickly joined and released, and in addition, rotated in either direction remaining secure in the most demanding conditions.

Diameter: 25mm

Length: 2m

Thread: Male and female **Type A**

**A note on thread connectivity**

Four different threads are used to connect the most commonly used duct rods.

**Type A:** S83-1446 Duct Rod No.1 (3 metre) and S83-0711 No.2 (2 metre) Male and Female

**Type B:** S83-1505 Duct Rod No.5 Male and Female

**Type C:** S83-0776 Duct Rod No.3 Continuous Male and Female

**Type D:** S83-0776 Duct Rod No.3 Continuous Male only - For attachment to the bare rod only

Ref: 126277