


Adaptor Rod 5

Product Images

Product Code: S83-0715



Duct Rod Threads



Short Description

This adaptor has a **Type A** male thread and a **Type C** male thread.

It can be used as a flexi-end when fixed into the female end of a S83-1446 Duct Rod No1 or S83-0711 Duct Rod No 2 and combined with S83-0720 Attachment Rod 4A.

It can also be used to connect S83-1446 Duct Rod No1 or S83-0711 Duct Rod No 2, to S83-0721 and S83-0722 Coupling Up Pieces.

A note on thread connectivity

Four different threads are used to connect the most commonly used duct rods.

Type A: S83-1446 Duct Rod No.1 (3 metre) and S83-0711 No.2 (2 metre) Male and Female

Type B: S83-1505 Duct Rod No.5 Male and Female

Type C: S83-0776 Duct Rod No.3 Continuous Male and Female

Type D: S83-0776 Duct Rod No.3 Continuous Male only - For attachment to the bare rod only

Ref: 126296

Description

This adaptor has a **Type A** male thread and a **Type C** male thread.

It can be used as a flexi-end when fixed into the female end of a S83-1446 Duct Rod No1 or S83-0711 Duct Rod No 2 and combined with S83-0720 Attachment Rod 4A.

It can also be used to connect S83-1446 Duct Rod No1 or S83-0711 Duct Rod No 2, to S83-0721 and S83-0722 Coupling Up Pieces.

A note on thread connectivity

Four different threads are used to connect the most commonly used duct rods.

Type A: S83-1446 Duct Rod No.1 (3 metre) and S83-0711 No.2 (2 metre) Male and Female

Type B: S83-1505 Duct Rod No.5 Male and Female

Type C: S83-0776 Duct Rod No.3 Continuous Male and Female

Type D: S83-0776 Duct Rod No.3 Continuous Male only - For attachment to the bare rod only

Ref: 126296