


# Coupling Rod Duct 3 Female

## Product Images

Product Code: S83-0777



**RODS DUCT** A) As supplied and approved by the telecom utilities. 25mm diameter high quality glass fibre reinforced rod with polyethylene outer coating. Features quick release brass threaded fittings that can be quickly joined and released.

**BAILEY PRODUCTS**  
Genuine BT specification rods, manufactured in the UK.

**B)** As supplied and approved by the telecom utilities Duct Rod No. 5 is a 13mm diameter high quality glass fibre reinforced rod with polyethylene outer coating. The rod is 2m in length and quick release brass threaded fittings that can be quickly joined and released.

PART NO.	DESCRIPTION	PRICE
S83-1446	A) NO.1 FERRET TYPE 2M X 25MM	14.92
S83-0711	A) NO.2 FERRET TYPE 2M X 25MM	13.88
S83-0776	NO.3 CONTINUOUS 200M X 24MM	339.25
S83-1505	B) NO.5 FERRET TYPE 2M X 13MM	9.98
S83-2676	C) PLERS ROD SWEEP	57.00

**ADAPTOR ROD 1A**  
Attaches the leading end of Rods Duct 3 to the female end of Rods Duct 1.

**ADAPTOR ROD 2A**  
Enables a male Rod Duct 3 thread at the leading end of Rods Duct 1 or 2.

**ADAPTOR ROD 3A**  
Used to connect a leader and follower to the female end of Rod Duct 1 or 2.

**ADAPTOR ROD 5**  
Adapts the female end of Rods Duct 1 and 2 to the female half of Coupling up pieces.

**ADAPTOR ROD 7**  
Joins Rod Duct 1 or 2 to Rod Duct 5.

**ATTACHMENT ROD 1A**  
A leader & follower with a male thread, for use on the female end of Rod Duct 5.

PART NO.	DESCRIPTION	PRICE
S83-0714	ADAPTOR ROD 1A	6.83
S83-0712	ADAPTOR ROD 2A	16.40
S83-0713	ADAPTOR ROD 3A	9.45
S83-0715	ADAPTOR ROD 5	11.27
S83-0716	ADAPTOR ROD 7	10.42
S83-0717	ATTACHMENT ROD 1A	7.35

**ATTACHMENT ROD 2A**  
A leader & follower with a female thread for joining to the male end of Rod Duct 5.

**ATTACHMENT ROD 3A**  
When used with Rod Duct 5 it acts as a Rod Leader. It incorporates a spring for ridding through "T" couplings.

**ATTACHMENT ROD 4A**  
Provides a leader and follower when adapted to Adaptor Rod 2A or 3A for use with Rods Duct Nos. 1 and 2.

**COUPLING ROD DUCT 3 REEL**  
Attaches the storage reel to the inner end of Rods Duct 3.

**COUPLING ROD DUCT 3 FEMALE**  
For use with Rods Duct 3, providing a male thread at the leading end of Rods Duct No.3.

**COUPLING ROD DUCT 3 MALE**  
Connects to the leading end of Rods Duct 3 to provide a male thread.

**COUPLING ROD DUCT 3 MALE SWIVEL**  
Can be used to repair Rods Duct 3 or provide a retractable male Rod Duct 3 thread at the leading end.

**COUPLING UP PIECES**  
Also referred to as a "marrying set", used to connect rods within duct. These are the preferred "Lockfit" type, but a "Ferret" version is also available upon request.

PART NO.	DESCRIPTION	PRICE
S83-0718	ATTACHMENT ROD 2A	9.57
S83-0719	ATTACHMENT ROD 3A	7.18
S83-0720	ATTACHMENT ROD 4A	2.73
S83-0721	COUPLING ROD DUCT 3 FEMALE	9.50
S83-0722	COUPLING ROD DUCT 3 MALE	4.70
S83-0723	COUPLING ROD DUCT 3 MALE SWIVEL	9.13
S83-0724	COUPLING UP PIECES	61.09
S83-0725	COUPLING UP PIECES	74.98



Sales/Technical Support tel: 020 8833 2626 fax: 020 8833 2600

email: sales@millsltd.com purchase online: www.millsltd.com



## Short Description

This coupling has **Type D** male thread for attachment to a bare S83-0776 Duct Rod No.3 Continuous and a **Type C** female thread for connection to other **Type C** male thread couplers and attachments such as:

S83-0715 Adaptor Rod 5

S83-0778 Coupling Rod Duct 3 Male Swivel

S83-0779 Coupling Rod Duct 3 Male

S83-0712 Adaptor Rod 2A

S83-0713 Adaptor Rod 3A

For repair of S83-0776 Duct Rod No.3 Continuous, this item can be used in combination with S83-0778 Coupling Rod Duct 3 Male Swivel or S83-0779 Coupling Rod Duct 3 Male.

### A note on thread connectivity

Four different threads are used to connect the most commonly used duct rods.

**Type A:** S83-1446 Duct Rod No.1 (3 metre) and S83-0711 No.2 (2 metre) Male and Female

**Type B:** S83-1505 Duct Rod No.5 Male and Female

**Type C:** S83-0776 Duct Rod No.3 Continuous Male and Female

**Type D:** S83-0776 Duct Rod No.3 Continuous Male only - For attachment to the bare rod only

Ref: 126394

## Description

---

This coupling has **Type D** male thread for attachment to a bare S83-0776 Duct Rod No.3 Continuous and a **Type C** female thread for connection to other **Type C** male thread couplers and attachments such as:

S83-0715 Adaptor Rod 5

S83-0778 Coupling Rod Duct 3 Male Swivel

S83-0779 Coupling Rod Duct 3 Male

S83-0712 Adaptor Rod 2A

S83-0713 Adaptor Rod 3A

For repair of S83-0776 Duct Rod No.3 Continuous, this item can be used in combination with S83-0778 Coupling Rod Duct 3 Male Swivel or S83-0779 Coupling Rod Duct 3 Male.

### A note on thread connectivity

Four different threads are used to connect the most commonly used duct rods.

**Type A:** S83-1446 Duct Rod No.1 (3 metre) and S83-0711 No.2 (2 metre) Male and Female

**Type B:** S83-1505 Duct Rod No.5 Male and Female

**Type C:** S83-0776 Duct Rod No.3 Continuous Male and Female

**Type D:** S83-0776 Duct Rod No.3 Continuous Male only - For attachment to the bare rod only

Ref: 126394