

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

RidgeGear RGP1 Finch Work Positioning / Adjustable Restraint Lanyard 2m

Product Images

Product Code: S00-3623



The RGP1 Finch can be used for work positioning by clipping onto both side D rings located on a work positioning belt and wrapping around a suitable structure, or as an adjustable restraint lanyard to prevent the user from entering the risk of a fall situation.

We advise using an RGL4 extension strop when attaching to your rear D plate.

The smooth cam action allows the user to move freely and adjust with ease. When used in work positioning the RGP1 Finch has an additional wear sleeve to protect the rope from abrasion.

Accredited to: EN 358:1999

Material: 11mm kernmantle nylon rope

Fittings: Double action snap hook, Screwgate karabiner, Adjuster, All aluminium alloy

Features: Extremely lightweight, Fully adjustable, Anti abrasion wear sleeve

Weight: 0.62kg

Max User Weight: 100kg

Length: 2m

Also available in 5 and 10 metre lengths

In the interests of safety, this item is non-returnable and non-refundable (unless faulty)

Description

The RGP1 Finch can be used for work positioning by clipping onto both side D rings located on a work positioning belt and wrapping around a suitable structure, or as an adjustable restraint lanyard to prevent the user from entering the risk of a fall situation.

We advise using an RGL4 extension strop when attaching to your rear D plate.

The smooth cam action allows the user to move freely and adjust with ease. When used in work positioning the RGP1 Finch has an additional wear sleeve to protect the rope from abrasion.

Accredited to: EN 358:1999

Material: 11mm kernmantle nylon rope

Fittings: Double action snap hook, Screwgate karabiner, Adjuster, All aluminium alloy

Features: Extremely lightweight, Fully adjustable, Anti abrasion wear sleeve

Weight: 0.62kg

Max User Weight: 100kg

Length: 2m

Also available in 5 and 10 metre lengths

In the interests of safety, this item is non-returnable and non-refundable (unless faulty)