

Cable Drum Trailer CD60 2430Kg

Product Images

Product Code: S00-0793



Short Description

This is a special order item. Please contact sales for a quote

Cable Trailers are equipped with braking and road lighting systems to conform with EEC Directives and are designed to travel fully laden at road speeds indicated on the UK Highway and most other European Countries. Variations can also be made to accommodate any individual Country specific requirements.

For safe and easy drum handling, all Cable Drum Trailers are fitted with hydraulic hand pump operated lift/lower systems as standard. When the drum is fully raised mechanical locks ensure drum security in transit.

Trailer CD60

Payload (approx): 2430Kg

Gross Vehicle Weight: 3100Kg

Max Drum Width: 1280mm

Max Drum Diam: 2500

Min Drum Diam:1000

Spindle Diam: 76mm

Tow Eye/Coupling Height Unladen: 50/610

Trailer Width: 2300mm

Tyres: 215/75R 17.5

Description

This is a special order item. Please contact sales for a quote

Cable Trailers are equipped with braking and road lighting systems to conform with EEC Directives and are designed to travel fully laden at road speeds indicated on the UK Highway and most other European Countries. Variations can also be made to accommodate any individual Country specific requirements.

For safe and easy drum handling, all Cable Drum Trailers are fitted with hydraulic hand pump operated lift/lower systems as standard. When the drum is fully raised mechanical locks ensure drum security in transit.

Trailer CD60

Payload (approx): 2350Kg

Gross Vehicle Weight: 3100Kg

Max Drum Width: 1280mm

Max Drum Diam: 2500

Min Drum Diam:1000

Spindle Diam: 76mm

Tow Eye/Coupling Height Unladen: 50/610

Trailer Width: 2300mm

Tyres: 215/75R 17.5