


Tight Buffered Fibre Optic Cable Multimode - 12 Core OM3 50/125u

Product Images

Product Code: T70-4236



Short Description

Universal tight buffer optical fibre cables have been designed specifically for internal and external applications. The outer jacket is water and moisture resistant, flame retardant, Low Smoke Zero Halogen.

Cut to your desired length and spooled on to a drum.

Features

Up to 24 Fibres - Sequentially metre marked

Customisable Fibre Selection - Multimode supplied - Single-Mode also available on request.

Duct Grade

Available in LSOH black sheath

CPR compliant to Eca

Priced per metre. Minimum order quantity 50m. Please enter the number of metres required in the "Quantity" box.

Non returnable and non-refundable once cut.

Description

Universal tight buffer optical fibre cables have been designed specifically for internal and external applications. The outer jacket is water and moisture resistant, flame retardant, Low Smoke Zero Halogen.

Cut to your desired length and spooled on to a drum.

Features

Up to 24 Fibres - Sequentially metre marked

Customisable Fibre Selection - Multimode supplied - Single-Mode also available on request.

Duct Grade

Available in LSOH black sheath

CPR compliant to Eca

Priced per metre. Minimum order quantity 50m. Please enter the number of metres required in the "Quantity" box.

Non returnable and non-refundable once cut.