

Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge

UB8 2GU

Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com

Contact us on:

Company No. 00282704 VAT No. 227082574

Tight Buffered Fibre Optic Cable Multimode - 24 Core OM3 50/125u

Product Images Product Code: T70-4237



Short Description

Universal tight buffer optical fibre cables have been designed specifically for internal and external applications. The outer jacket is water and moisture resistant, flame retardant, Low Smoke Zero Halogen.

Cut to your desired length and spooled on to a drum.

Features

Up to 24 Fibres - Sequentially metre marked

Customisable Fibre Selection - Multimode supplied - Single-Mode also available on request.

Duct Grade

Available in LSOH black sheath

CPR compliant to Eca

Priced per metre. Minimum order quantity 50m. Please enter the number of metres required in the "Quantity" box.

Non returnable and non-refundable once cut.

Description

Universal tight buffer optical fibre cables have been designed specifically for internal and external applications. The outer jacket is water and moisture resistant, flame retardant, Low Smoke Zero Halogen.

Cut to your desired length and spooled on to a drum.

Features

Up to 24 Fibres - Sequentially metre marked

Customisable Fibre Selection - Multimode supplied - Single-Mode also available on request.

Duct Grade

Available in LSOH black sheath

CPR compliant to Eca

Priced per metre. Minimum order quantity 50m. Please enter the number of metres required in the "Ouantity" box

Non returnable and non-refundable once cut.