

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600

Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

Mills Plastic 4 Sided Gate Guard

Product Images Product Code: S00-6123







Short Description

Mills folding barrier system is designed for use around underground chambers, cable laying and other temporary excavations.

Reflective strips manufactured to BS EN 12899-1:2007, with Class RA2 coefficient of retroflection & daylight chromacity & luminance of Class CR2.

- Compliant with Chapter 8 Streetworks
- Made from HDPE
- Folds for easy transportation and storage
- Individual barrier weight: 2kg
- Length each gate: 750mm

s Height: 1000mm

· Total weight: 8kg

Description

Mills folding barrier system is designed for use around underground chambers, cable laying and other temporary excavations.

Reflective strips manufactured to BS EN 12899-1:2007, with Class RA2 coefficient of retroflection & daylight chromacity & luminance of Class CR2.

- Compliant with Chapter 8 Streetworks
- Made from HDPE
- Folds for easy transportation and storage
- Individual barrier weight: 2kgLength each gate: 750mm
- Height: 1000mmTotal weight: 8kg

Ref: 081521