

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Lyte NELT330 3 Section Extension Ladder 6.85m EN131-2

Product Images

Product Code: S00-3017









Short Description

Professional 3 section ladder to EN131-2 - 10 rungs per section, 6.85m open, 2.92m closed, weight 21.5kg

Triple section ladder re-designed, tested and manufactured in the UK and built from the best quality aluminium and certified to the new EN131-2 Professional standard for frequent and heavy duty work. Now supplied with a high quality stabiliser bar for maximum safety and stability.

Features

Tested & certified to New EN131-2, Professional

Manufactured with D shaped rung for comfort when climbing.

Newly designed stabiliser bar which is easy to fit and reduces the risk of sideways slips and gives a larger and safer footprint.

Tested to a durability test of 50,000 cycles

Improved box section stiles and strengthened rungs inline with the new standard requirements.

Secure non-slip grip with all round PVC moulded feet

British Made

Specifications

Open Height: 6.85 metres

Closed: 2.92 metres

Number of sections: 3

Rungs per section: 10

Weight: 21.5 kg

Maximum capacity load of 150kg

Due to Health and Safety legislation, all ladders are non-returnable and non-refundable. Once the delivery note has been signed, it will be deemed that the condition of the ladder is new and acceptable.