

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

# Bosch GIC 120C Professional Cordless Inspection Camera

Product Images Product Code: P09-5535



# **Short Description**

Convenient inspection and documentation of hard-to-reach areas

- Quick Connector technology for quickly and easily changing the camera cable and for compact storage of the tool.
- Compact housing with improved ergonomics for the best handling in all situations
- Digital zoom for better recognition of details
- 120 cm long camera cable for better reaching of problem areas
- Bright LED for illuminating dark areas
- The "Up is Up"™ function offers the user optimum orientation due to automatic rotation of the image
- Transfer images and videos directly via a micro USB cable or a micro SD card for documenting critical areas
- Dual Power Source: Can be operated both with 10.8 V LI battery and with standard alkaline batteries
- Battery voltage: 10.8 v & 12v Compatible
- Display size: 3.5"
- Display resolution: 320 x 240 px
  Diameter of camera head: 8.5 mm
  Length of camera cable: 120 cm
  Number of LED lighting stages: 3

### **Contents**

- 1x GIC 120 C Professional Inspection Camera
- 4x 1.5v (AA) Batteries
- 1x GIC Camera Cable 8.5 mm (D) x 120cm (L)
- 1x Hook, Magnet & Mirror Set
- 1x Battery Adapter for 1.5v AA
- 1x 4GB Micro SD Card
- 1x 1/2 Inlay for L-Boxx
- 1x Micro USB Cable

## **Description**

Convenient inspection and documentation of hard-to-reach areas

- Quick Connector technology for quickly and easily changing the camera cable and for compact storage of the tool.
- Compact housing with improved ergonomics for the best handling in all situations
- Digital zoom for better recognition of details
- 120 cm long camera cable for better reaching of problem areas
- Bright LED for illuminating dark areas
- The "Up is Up"™ function offers the user optimum orientation due to automatic rotation of the image
- Transfer images and videos directly via a micro USB cable or a micro SD card for documenting critical areas
- Dual Power Source: Can be operated both with 10.8 V LI battery and with standard alkaline batteries
- Battery voltage: 10.8 V & 12v Compatible

• Display size: 3.5"

Display resolution: 320 x 240 px
Diameter of camera head: 8.5 mm
Length of camera cable: 120 cm
Number of LED lighting stages: 3

### **Contents**

- 1x GIC 120 C Professional Inspection Camera
- 4x 1.5v (AA) Batteries
- 1x GIC Camera Cable 8.5 mm (D) x 120cm (L)
- 1x Hook, Magnet & Mirror Set
- 1x Battery Adapter for 1.5v AA
- 1x 4GB Micro SD Card
- 1x 1/2 Inlay for L-Boxx
- 1x Micro USB Cable