

Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600

Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

Bosch GSR 18 V-EC FC2 FlexiClick Brushless Drill Driver Set

Product Images Product Code: P09-5536



Short Description

Bosch FlexiClick 5-in-1 System: Masters any challenge Integrated lockable bit holder accepts all common standard bits

Compact design – Short construction (147 mm) and low weight (1.7 kg, GSR 18 V-FC2) enable precise use

High efficiency – up to 826 screws (6 x 60 mm in softwood) with only one battery charge (18 V – 5.0 Ah)

Powerful – Exceptionally high torque due to newly developed gearbox design and new 4-pole Bosch high-performance motor Integrated LED light for illuminating the work area, even in dark places Innovative COOLPACK batteries ensure optimum heat dissipation and therefore increase lifetime by up to 100% (cf. Li-Ion batteries without COOLPACK)

Bosch Electronic Cell Protection (ECP): protects the battery against overload, overheating and deep discharge

Full flexibility – With its bit holder, drill chuck adapter, angle adapter, off-set angle adapter and rotary hammer adapter, the Bosch FlexiClick system provides the optimum solution in every work situation

Easy to operate – The Bosch FlexiClick adapters can be locked in 16 different positions (360°) without having to remove them from the cordless screwdriver

Versatile – The unique rotary hammer adapter turns the drill/driver into a fully fledged rotary hammer

Performance data

Torque, max. (hard/soft) 50 / 31 Nm No-load speed (1st gear / 2nd gear) 0 – 500 / 0 – 1.700 rpm Max. impact rate 4.800 bpm Chuck capacity, min./max. 1,5 / 13 mm Torque settings 18+1 Bit holder 1/4" internal hexagon

Battery and power

Battery voltage 18 V Battery capacity 5,0 Ah Cell type Lithium-ion

Drilling diameter

Max. drilling diameter in wood 38 mm Max. drilling diameter in steel 13 mm

Screw diameter

Max. screw diameter 10 mm

Contents

- 1x GSR 18 V-EC FC2 Drill Driver
- 1x GFA 13mm Auto-Lock Chuck
- 1x GWA Angle 13mm Auto-Lock Chuck
- 1x GEA Off-Set Angle 1/4" Hex Chuck
- 1x GHA SDS+ Plus Rotary Hammer Chuck
- 1x Side Handle
- 1x Depth Stop
- 1x GAL 1880 CV Charger
- 2x 5.0Ah Batteries
- 1x L-Boxx Carry Case
- 1x L-Boxx Inlay
- 1x Belt Clip
- 1x Bit Holder
- 4x Colour Clips

Description

Bosch FlexiClick 5-in-1 System: Masters any challenge Integrated lockable bit holder accepts all common standard bits

Compact design – Short construction (147 mm) and low weight (1.7 kg, GSR 18 V-FC2) enable precise use

High efficiency – up to 826 screws (6 x 60 mm in softwood) with only one battery charge (18 V – 5.0 Ah)

Powerful – Exceptionally high torque due to newly developed gearbox design and new 4-pole Bosch high-performance motor Integrated LED light for illuminating the work area, even in dark places Innovative COOLPACK batteries ensure optimum heat dissipation and therefore increase lifetime by up to 100% (cf. Li-Ion batteries without COOLPACK)

Bosch Electronic Cell Protection (ECP): protects the battery against overload, overheating and deep discharge

Full flexibility – With its bit holder, drill chuck adapter, angle adapter, off-set angle adapter and rotary hammer adapter, the Bosch FlexiClick system provides the optimum solution in every work situation

Easy to operate – The Bosch FlexiClick adapters can be locked in 16 different positions (360°) without having to remove them from the cordless screwdriver

Versatile - The unique rotary hammer adapter turns the drill/driver into a fully fledged rotary hammer

Performance data

Torque, max. (hard/soft) 50 / 31 Nm No-load speed (1st gear / 2nd gear) 0 – 500 / 0 – 1.700 rpm Max. impact rate 4.800 bpm Chuck capacity, min./max. 1,5 / 13 mm Torque settings 18+1

Bit holder 1/4" internal hexagon

Battery and power

Battery voltage 18 V Battery capacity 5,0 Ah Cell type Lithium-ion

Drilling diameter

Max. drilling diameter in wood 38 mm Max. drilling diameter in steel 13 mm

Screw diameter

Max. screw diameter 10 mm

Contents

- 1x GSR 18 V-EC FC2 Drill Driver
- 1x GFA 13mm Auto-Lock Chuck
- 1x GWA Angle 13mm Auto-Lock Chuck
- 1x GEA Off-Set Angle 1/4" Hex Chuck
- 1x GHA SDS+ Plus Rotary Hammer Chuck
- 1x Side Handle
- 1x Depth Stop
- 1x GAL 1880 CV Charger
- 2x 5.0Ah Batteries
- 1x L-Boxx Carry Case
- 1x L-Boxx Inlay
- 1x Belt Clip
- 1x Bit Holder
- 4x Colour Clips