

---

# Leather Overgloves Size 11

Product Images

Product Code: H87-7414/11

---



## Short Description

---

Leather protector gloves manufactured from Top Grain Goatskin Leather, which is the softest, most abrasion resistant leather which stills provides the dexterity needed to conduct certain sensitive tasks.

### Features

- Material: Goat Skin main glove, cowhide gauntlet cuff
- Length: 12" – 12.5"
- Leather Thickness (mm): Goat Skin: 0.7-0.9 / Cowhide: 1.2-1.7

### Standards

- Meets EN420
- Meets Safety Standards: EN 388, 2121X
- CE marked

### Warning

These gloves are designed to provide protection to an electrician's gloves. They do not in themselves provide any level of electrical insulation or protection and should never be used for electrical work on their own for protection against electric shock; as serious injury or death will result.

Always use the correctly specified insulating gloves.

They should also not be used in damp or wet conditions.

You should consult the user instructions of EN 60903 certified gloves before using these leather overgloves.

Service life cannot be specified and depends on application and responsibility of user to ascertain suitability of the glove for its intended use

## Description

---

Leather protector gloves manufactured from Top Grain Goatskin Leather, which is the softest, most abrasion resistant leather which stills provides the dexterity needed to conduct certain sensitive tasks.

### Features

- Material: Goat Skin main glove, cowhide gauntlet cuff
- Length: 12" – 12.5"
- Leather Thickness (mm): Goat Skin: 0.7-0.9 / Cowhide: 1.2-1.7

## Standards

- Meets EN420
- Meets Safety Standards: EN 388, 2121X
- CE marked

## Warning

These gloves are designed to provide protection to an electrician's gloves. They do not in themselves provide any level of electrical insulation or protection and should never be used for electrical work on their own for protection against electric shock; as serious injury or death will result.

Always use the correctly specified insulating gloves.

They should also not be used in damp or wet conditions.

You should consult the user instructions of EN 60903 certified gloves before using these leather overgloves.

Service life cannot be specified and depends on application and responsibility of user to ascertain suitability of the glove for its intended use