



Little Giant King Kombo Industrial Fibreglass Combination Ladder 5 x 2

Product Images

Product Code: S00-9349







Short Description

King Kombo is the world's first and only 3-in-1 extension ladder, leaning ladder and stepladder combination, in one lightweight package. 5 rungs x 2 sections.

Description

Due to Health and Safety legislation, all ladders are non-returnable and non-refundable. Once the delivery note has been signed, it will be deemed that the condition of the ladder is new and acceptable.

King Kombo is the world's first and only 3-in-1 extension ladder, leaning ladder and stepladder combination, in one lightweight package.

King Kombo Industrial brings all the power and speed, with ultra-heavy-duty feet with seriously aggressive tread for elite traction and durability for harsh industrial environments. King Kombo Industrial also brings a tough corner, pole, and stud gripping V-bar for the extension ladder position. This heavy-duty grip conforms to inside and outside corners and even offers protection for damageable leaning surfaces like paint, drywall, and stucco and round poles. Speed, power, and safety—prepare to be faster and safer than ever on the job!

Product Features

Ultra-heavy-duty feet with aggressive tread for elite traction

Tough corner, pole and stud gripping V-bar for the extension ladder position

Heavy-duty grip conforms to inside and outside corners and even offers protection for damageable leaning surfaces such as paint, drywall and stucco

Patent-pending non-conductive Hi-Visability green fiberglass makes the ladder more noticeable

Wide-flared side offers superior side-tip stability

Straight side allows operators to access tight work spaces between stud gaps, ceiling trusses and attic access ports

This ladder brings speed, power and safety to any job with palm buttons for easy adjustment 1 year warranty

Max load 150kg

Specifications

Rungs: 5 x 2 Sections

Closed Length: 1.5 metres

Approx Working Height: 3.1 metres

Extended Length: 2.6 metres

Width: 0.64 metres

Weight: 9 kg

Where applicable, Working Height is calculated as 1.6m plus platform height or last climbing tread, whichever is appropriate. Ladders set at an angle of 75 degrees.

Due to Health and Safety legislation, all ladders are non-returnable and non-refundable. Once the delivery note has been signed, it will be deemed that the condition of the ladder is new and acceptable.