

Mills Limited
Unit 2,
Zodiac Business Park,
High Road,
Cowley
Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600

Email: sales@millsltd.com

Company No. 00282704 VAT No. 227082574

# FTTH Innovations F.I.G. Fibre Installation Gun

Product Images Product Code: F19-1000















# **Short Description**

# Special Offer! WAS £3,757 NOW £2,995!

The Best In Class Handheld Cordless Air Blown Microfibre Installation Gun, For Fibre To The Home/Premises

Designed with the Drop Fibre installer in mind, the F.I.G. is a lightweight, battery-powered compact blowing gun that features an innovative and simple to use 'no-crush' fibre loading mechanism that prevents cable damage and wastage - in addition to saving the fibre installer valuable set up time.

It is optimised to deploy reeled ballistic microfibre up to 2.0 mm diameter in 5mm, 6mm, 7mm and 8mm microducts over distances up to 1000 metres.

This ergonomic pistol-shaped installation gun has a unique anti-buckle feature to prevent fibre damage whilst blowing. It provides extremely efficient air delivery performance, allowing it to be used with a small air compressor producing ≥80 L./min. (2.8 CFM) at 10 bar.

Its 'cruise control' technology enables hands-free operation.

The LCD screen on the top of the F.I.G. displays speed, distance, pushing force and battery life.

Adjustable push control and interchangeable adaptor plates enable the F.I.G. to be quickly and easily adapted to operate on different microfibre sizes and microducts.

The F.I.G. is available individually with optional extra tripod or as complete kit including F.I.G, Compressor, Tripod and Mills Fibre Blowing Toolkit for both overhead and underground applications.

## **Features:**

• Pushing force and speed are both easily adjustable

- Innovative simple to use microfibre cable loading mechanism prevents the microfibre from being damaged or crushed during cable loading
- Active anti-buckle and 'no-crush' sensing device prevents damage to the microfibre during install
- LCD screen displays speed, distance, pushing force and battery life
- Microduct outside diameters 5, 6, 7, and 8 mm can be blown into using interchangeable gaskets
- Quick-change adaptor plates enable operation on different size microducts in seconds
  - Quick-release microfibre reel dispenser post

### Includes:

- 2 x Bosch 12v 2.0 Ah Lithium Ion batteries and 1 x 220/240v battery charger
- 1.2 mm adaptor plate set (for 1.1mm fibre cable) including gasket sets for 5mm, 6mm,7mm and 8mm microducts
- o Tough, impact-resistant, weatherproof case
- Water separator, replacement drive wheel, o-rings and gaskets
- Threaded anchor point for use with optional tripod mount or optional harness attachment

# **Specifications:**

Fibre Cable Diameter: Up to 2.0 mm

Microduct Diameter: 5, 6, 7, 8 mm outside diameter

Blowing Distance: Up to 1000 metres

Blowing Speed: Up to 100 m/min (\*depending on type of cable and duct integrity)

Pressure & Airflow: For optimum performance a portable compressor producing ≥80 L/min (2.8 CFM) at 10 bar is recommended

Hand arm vibration values: Aeq = 0.26ms/m<sup>2</sup>

Dimensions: 400 x 350 x 90 mm (with fibre reel holder and battery pack fitted)

Weight: 1.8 kg (with fibre reel holder and battery pack fitted)

# **Description**

# The Best In Class Handheld Cordless Air Blown Microfibre Installation Gun, For Fibre To The Home/Premises

Designed with the Drop Fibre installer in mind, the F.I.G. is a lightweight, battery-powered compact blowing gun that features an innovative and simple to use 'no-crush' fibre loading mechanism that prevents cable damage and wastage - in addition to saving the fibre installer valuable set up time.

It is optimised to deploy reeled ballistic microfibre up to 2.0 mm diameter in 5mm, 6mm, 7mm and 8mm microducts over distances up to 1000 metres.

This ergonomic pistol-shaped installation gun has a unique anti-buckle feature to prevent fibre damage whilst blowing. It provides extremely efficient air delivery performance, allowing it to be used with a small air compressor producing ≥80 L./min. (2.8 CFM) at 10 bar.

Its 'cruise control' technology enables hands-free operation.

The LCD screen on the top of the F.I.G. displays speed, distance, pushing force and battery life.

Adjustable push control and interchangeable adaptor plates enable the F.I.G. to be quickly and easily adapted to operate on different microfibre sizes and microducts.

The F.I.G. is available individually with optional extra tripod or as complete kit including F.I.G, Compressor, Tripod and Mills Fibre Blowing Toolkit for both overhead and underground applications.

#### **Features:**

- Pushing force and speed are both easily adjustable
- Innovative simple to use microfibre cable loading mechanism prevents the microfibre from being damaged or crushed during cable loading
- Active anti-buckle and 'no-crush' sensing device prevents damage to the microfibre during install
- LCD screen displays speed, distance, pushing force and battery life
- Microduct outside diameters 5, 6, 7, and 8 mm can be blown into using interchangeable gaskets
- Quick-change adaptor plates enable operation on different size microducts in seconds
  - Quick-release microfibre reel dispenser post

#### Includes:

- 2 x Bosch 12v 2.0 Ah Lithium Ion batteries and 1 x 220/240v battery charger
- 1.2 mm adaptor plate set (for 1.1mm fibre cable) including gasket sets for 5mm, 6mm,7mm and 8mm microducts
- o Tough, impact-resistant, weatherproof case
- Water separator, replacement drive wheel, o-rings and gaskets
- Threaded anchor point for use with optional tripod mount or optional harness attachment

# **Specifications:**

Fibre Cable Diameter: Up to 2.0 mm

Microduct Diameter: 5, 6, 7, 8 mm outside diameter

Blowing Distance: Up to 1000 metres

Blowing Speed: Up to 100 m/min (\*depending on type of cable and duct integrity)

Pressure & Airflow: For optimum performance a portable compressor producing ≥80 L/min (2.8 CFM) at 10 bar is recommended

Hand arm vibration values: Aeg = 0.26ms/m<sup>2</sup>

Dimensions: 400 x 350 x 90 mm (with fibre reel holder and battery pack fitted)

Weight: 1.8 kg (with fibre reel holder and battery pack fitted)