

Mills Universal CBT 3 Way Back to Back Hinged Stand Off Pole Bracket

Product Images

Product Code: S00-1741





Short Description

A galvanised pole bracket to suit most brands of CBTs (Connector Block Terminals) including Prysmian Casalink, Corning Optisheath, Hexatronic ASN and Hellerman Tyton AFN,

2

<https://www.millsltd.com/default/mills-universal-cbt-3-way-back-to-back-hinged-stand-off-pole-bracket.html>

27/04/2024

This 3 sided bracket is manufactured from 1.2mm galvanised steel, the bracket is approved for PIA application and fixes to the top of the pole using the panhead screws provided.

The bracket has 4 x 3mm, 8 x 4mm and 4 x 6mm nutserts to accept different manufacturers' CBT's

The triple back to back bracket is supplied with 12 x M3 x 25 Pozi Panhead Screws, 12 x M4 x 30 Pozi Panhead Screws and 12 x M6 x 30 Pozi Panhead Screws

Each face measures 380 x 140 mm and the bracket 'stands off' 165mm.

Ref: 100239

Description

A galvanised pole bracket to suit most brands of CBTs (Connector Block Terminals) including Prysmian Casalink, Corning Optisheath, Hexatronic ASN and Hellerman Tyton AFN,

This 3 sided bracket is manufactured from 1.2mm galvanised steel, the bracket is approved for PIA application and fixes to the top of the pole using the panhead screws provided.

The bracket has 4 x 3mm, 8 x 4mm and 4 x 6mm nutserts to accept different manufacturers' CBT's

The triple back to back bracket is supplied with 12 x M3 x 25 Pozi Panhead Screws, 12 x M4 x 30 Pozi Panhead Screws and 12 x M6 x 30 Pozi Panhead Screws

Each face measures 380 x 140 mm and the bracket 'stands off' 165mm.

Ref: 100239