

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Probst Vacuum Slab Power Lifter

Product Images

Product Code: S00-2697



Flexible and powerful hand operated laying device for dense products, such as granite or high quality concrete elements.

Special seal, consisting of 2 components for optimised sealing. Even when the suction plate is sitting on sharp edges for a long time, no permanent marks are left in the seal. Therefore no "foldable rests" are necessary to save guard the seal. Wheel Set VPH-RS can be retrofitted to any VPH device at any time. Thus dense slabs can be installed by just one person.

Features

- Highly wear-resistant seal.
- Powered by rechargeable battery 12 V. Special energy saving automatically allows a full day of laying operation without the need of recharging. Battery charger not included.
- Handle for 2 men operation, handles are height and width adjustable to accomodate with different laying tasks.
- $\circ\,$ Including suction plate with 150 kg load capacity.
- $\circ~$ The seal can be exchanged without glue and any tool within 1 minute.
- Fitted as standard with chain compartment and load securing chain as well as lifting eye for hoist operation.
- Galvanised to provide durable surface protection.

Working Load limit: 150 kg

Product Weight: 16.5 kg

Working Voltage: 12

Battery Capacity (Ah): 6.5

Description

Flexible and powerful hand operated laying device for dense products, such as granite or high quality concrete elements.

Special seal, consisting of 2 components for optimised sealing. Even when the suction plate is sitting on sharp edges for a long time, no permanent marks are left in the seal. Therefore no "foldable rests" are necessary to save guard the seal. Wheel Set VPH-RS can be retrofitted to any VPH device at any time. Thus dense slabs can be installed by just one person.

Features

• Highly wear-resistant seal.

- Powered by rechargeable battery 12 V. Special energy saving automatically allows a full day of laying operation without the need of recharging. Battery charger not included.
- Handle for 2 men operation, handles are height and width adjustable to accomodate with different laying tasks.
- $\circ~$ Including suction plate with 150 kg load capacity.
- $\circ\,$ The seal can be exchanged without glue and any tool within 1 minute.
- Fitted as standard with chain compartment and load securing chain as well as lifting eye for hoist operation.
- Galvanised to provide durable surface protection.

Working Load limit: 150 kg

Product Weight: 16.5 kg

Working Voltage: 12

Battery Capacity (Ah): 6.5

3