

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Runpotec X Board 500 Multi Function Mandrel

Product Images

Product Code: S83-2029





Short Description

The multi-function mandrel has been specially developed for the S00-4350 X BOARD XB 500 cable rolling system. Loose cable bundles can be rolled by attaching them to the stainless steel centre mandrel of the XB 300 and then folding out the 4 side brackets.

The telescopic centre mandrel measures 72 mm in diameter making it ideal for rolling a thinner cable bundle with a small inner diameter or individual wires. The normal height of the multi-function mandrel is 196 mm, which can be extended up to max. 294 mm via the telescopic mechanism.

This means high cable bundles or corresponding tube bundles can also be rolled. When the 4 side brackets are unfolded, there is a total contact surface of 430 mm in diameter.

The multi-function mandrel has been specially developed for the S00-4350 X BOARD XB 500 cable rolling system. Loose cable bundles can be rolled by attaching them to the stainless steel centre mandrel of the XB 300 and then folding out the 4 side brackets.

The telescopic centre mandrel measures 72 mm in diameter making it ideal for rolling a thinner cable bundle with a small inner diameter or individual wires. The normal height of the multi-function mandrel is 196 mm, which can be extended up to max. 294 mm via the telescopic mechanism.

This means high cable bundles or corresponding tube bundles can also be rolled. When the 4 side brackets are unfolded, there is a total contact surface of 430 mm in diameter.

https://www.millsltd.com/default/runpotec-x-board-500-multi-function-mandrel.html 02/05/2024