

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge

UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

Uninsulated Tubular Ring Terminal, M6 Stud Size to 10mm² Wire Size Pk25

Product Images Product Code: E14-2080



Short Description

High-quality heavy-duty tubular crimp ring terminal, also known as a ring connector or cable lug.

Used for connecting multi-stranded cables to a stud or a post on an electrical component such as a battery terminal.

This tubular ring terminal is made from thick-walled, heavy-duty, highly conductive copper and is tin plated.

Once correctly crimped onto a cable this ring terminal will provide a secure and reliable electrical connection.

Specifications

Insulation: Uninsulated

Inner Ring Diameter: 6.4mm Maximum Wire Size: 10mm²

Stud Size: M6

Contact Plating: Tin

Contact Material: Copper Overall Length: 30mm

Description

High-quality heavy-duty tubular crimp ring terminal, also known as a ring connector or cable lug.

Used for connecting multi-stranded cables to a stud or a post on an electrical component such as a battery terminal.

This tubular ring terminal is made from thick-walled, heavy-duty, highly conductive copper and is tin plated.

Once correctly crimped onto a cable this ring terminal will provide a secure and reliable electrical connection.

Specifications

Insulation: Uninsulated

Inner Ring Diameter: 6.4mm Maximum Wire Size: 10mm²

Stud Size: M6

Contact Plating: Tin

Contact Material: Copper Overall Length: 30mm Supplied in a pack of 25