

Mills Limited Unit 2, Zodiac Business Park, High Road, Cowley Uxbridge UB8 2GU

Contact us on: Tel: 020 8833 2626 Fax: 020 8833 2600 Email: sales@millsltd.com Company No. 00282704 VAT No. 227082574

## Uninsulated Tubular Ring Terminal, M6 Stud Size to 10mm<sup>2</sup> Wire Size Pk25

**Product Images** 

Product Code: E14-2080



High-quality heavy-duty tubular crimp ring terminal, also known as a ring connector or cable lug.

Used for connecting multi-stranded cables to a stud or a post on an electrical component such as a battery terminal.

This tubular ring terminal is made from thick-walled, heavy-duty, highly conductive copper and is tin plated.

Once correctly crimped onto a cable this ring terminal will provide a secure and reliable electrical connection.

## Specifications

Insulation: Uninsulated Inner Ring Diameter: 6.4mm Maximum Wire Size: 10mm<sup>2</sup> Stud Size: M6 Contact Plating: Tin Contact Material: Copper Overall Length: 30mm

## Description

High-quality heavy-duty tubular crimp ring terminal, also known as a ring connector or cable lug.

Used for connecting multi-stranded cables to a stud or a post on an electrical component such as a battery terminal.

This tubular ring terminal is made from thick-walled, heavy-duty, highly conductive copper and is tin plated.

Once correctly crimped onto a cable this ring terminal will provide a secure and reliable electrical connection.

## Specifications

Insulation: Uninsulated Inner Ring Diameter: 6.4mm Maximum Wire Size: 10mm<sup>2</sup> Stud Size: M6 Contact Plating: Tin Contact Material: Copper Overall Length: 30mm

https://www.millsltd.com/default/uninsulated-tubular-ring-terminal-m6-stud-size-to-10mm-wire-size-pk25.html 02/05/2024

Supplied in a pack of 25