

# Uninsulated Tubular Ring Terminal, M6 Stud Size to 6mm<sup>2</sup> Wire Size Pk25

**Product Images**

**Product Code: E14-2079**



## Short Description

---

High-quality heavy-duty tubular crimp ring terminal, also known as a ring connector or cable lug.

Used for connecting multi-stranded cables to a stud or a post on an electrical component such as a battery terminal.

This tubular ring terminal is made from thick-walled, heavy-duty, highly conductive copper and is tin plated.

Once correctly crimped onto a cable this ring terminal will provide a secure and reliable electrical connection.

### Specification

Insulation: Uninsulated

Inner Ring Diameter: 6.4mm

Maximum Wire Size: 6mm<sup>2</sup>

Stud Size: M6

Contact Material: Copper

Contact Plating: Tin

Overall Length: 23mm

## Description

---

High-quality heavy-duty tubular crimp ring terminal, also known as a ring connector or cable lug.

Used for connecting multi-stranded cables to a stud or a post on an electrical component such as a battery terminal.

This tubular ring terminal is made from thick-walled, heavy-duty, highly conductive copper and is tin plated.

Once correctly crimped onto a cable this ring terminal will provide a secure and reliable electrical connection.

### Specification

Insulation: Uninsulated

Inner Ring Diameter: 6.4mm

Maximum Wire Size: 6mm<sup>2</sup>

Stud Size: M6

Contact Material: Copper

Contact Plating: Tin

Overall Length: 23mm

Supplied in a pack of 25.