
C.Scope YIRC-33-8 Signal Clamp

Product Images

Product Code: S83-2089



Short Description

The CScope Signal Clamp allows operators to apply the Signal Generator/ Transmitter signal effectively to any cable. It is an extremely practical way to allow individual cables to be traced even when the cable is in amongst other cables.

Construction

Toroidal induction ring housed in robust plastic.
Spring loaded jaws.

Optimisation

Tuned for optimum use with 33kHz Signal Generators.

Safety

Built to conform to BSEN61010-1:1993 and BSEN 61010-2-032:1995

Dimensions

270 x 160 x 28mm

Compatibility

Maximum service diameter = 105mm
Suitable for use with all C.Scope Signal Generators and Transmitters.

Also known as Locator 9A/B/C Signal Clamp

Ref: 37294

Description

The CScope Signal Clamp allows operators to apply the Signal Generator/ Transmitter signal effectively to any cable. It is an extremely practical way to allow individual cables to be traced even when the cable is in amongst other cables.

Construction

Toroidal induction ring housed in robust plastic.
Spring loaded jaws.

Optimisation

Tuned for optimum use with 33kHz Signal Generators.

Safety

Built to conform to BSEN61010-1:1993 and BSEN 61010-2-032:1995

Dimensions

270 x 160 x 28mm

Compatibility

Maximum service diameter = 105mm
Suitable for use with all C.Scope Signal Generators and Transmitters.

Also known as Locator 9A/B/C Signal Clamp

Ref: 37294