# cleaningsolutions

urbanhygiene best value, award winning, cleaning solutions

#### SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/6

### easy-off Graffiti Remover

Revision 0
Revision date 2016-02-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking					
1.1. Product identifier	1.1. Product identifier				
Product name	easy-off Graffiti Remover				
1.2. Relevant identified uses of	the substance or mixture and uses advised against				
Product Use	[SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites; [SU9] Manufacture of fine chemicals; [PC35] Washing and cleaning products (including solvent based products); [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU9] Manufacture of fine chemicals; [PC35] Washing and cleaning products (including solvent based products);				
	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);				
1.3. Details of the supplier of the safety data sheet					
Company	Urban Hygiene Ltd				
A diducació	Oliv Division and Doub				

Company	Urban Hygiene Ltd
Address	Sky Business Park Robin Hood Airport
	Robin Hood Airport
	Doncaster
	DN9 3GN

www.urbanhygiene.com

Telephone +44 (0) 1302 623193 Fax +44 (0) 1302 623167

Email enquiries@urbanhygiene.com
Email address of the enquiries@urbanhygiene.com
competent person

### 1.4. Emergency telephone number

Emergency telephone number	+44 (0) 1302 623193
	9.00am - 5.00pm Mon - Fri

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Eye Irrit. 2: H319;
1272/2008	

#### 2.2. Label elements

Web

#### Hazard pictograms





## cleaningsolutions

urbanhygiene best value, award winning, cleaning solutions

Revision Revision date 2016-02-08

#### 2.2. Label elements

Signal Word	Warning		
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.		
Precautionary Statement:	P264 - Wash thoroughly after handling.		
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
Response	lenses, if present and easy to do. Continue rinsing.		
	P337+P313 - If eye irritation persists: Get medical advice/attention.		

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### 67/548/EEC / 1999/45/EC

Dimethyl Glutarate         1119-40-0         214-277-2         60 - 70%           Dimethyl Adipate         627-93-0         211-020-6         10 - 20%	Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Dimethyl Adipate 627-93-0 211-020-6 10 - 20%	Dimethyl Glutarate		1119-40-0	214-277-2		60 - 70%	0	
	Dimethyl Adipate		627-93-0	211-020-6		10 - 20%	ó	
Dimethyl Succinate 106-65-0 203-419-9 10 - 20%	Dimethyl Succinate		106-65-0	203-419-9		10 - 20%	Ó	

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Dimethyl Glutarate		1119-40-0	214-277-2		60 - 70%	6	
Dimethyl Adipate		627-93-0	211-020-6		10 - 20%	6	
Dimethyl Succinate		106-65-0	203-419-9		10 - 20%	6 Eye Irrit. 2: H319;	

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Move the exposed person to fresh air.				
Rinse immediately with plenty of water for 15 minutes holding the eyelids open.				
Wash off immediately with plenty of soap and water.				
Rinse mouth thoroughly. DO NOT INDUCE VOMITING.				
4.2. Most important symptoms and effects, both acute and delayed				

Inhalation	Irritating to respiratory system.			
Eye contact	Irritating to eyes.			
Skin contact	No irritation expected.			
Ingestion Ingestion may cause nausea and vomiting.				
4.3. Indication of any immediate medical attention and special treatment needed				

Inhalation	Seek medical attention if irritation or symptoms persist.	
Eye contact	Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Seek medical attention if irritation or symptoms persist.	

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

#### 5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

#### 5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.



urbanhygiene best value, award winning, cleaning solutions

**Revision** 0 **Revision date** 2016-02-08

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area.

#### 6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

#### 6.3. Methods and material for containment and cleaning up

Clean spillage area thoroughly with plenty of water.

#### 6.4. Reference to other sections

See section 13 for further information.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area.

#### 7.3. Specific end use(s)

See section 1.2 for further information.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace.

#### 8.1.1. Exposure Limit Values

Dimethyl Adipate	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 36
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Dimethyl Glutarate	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 33
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Dimethyl Succinate	WEL 8-hr limit ppm:	WEL 8-hr limit mg/m3: 36
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:

#### 8.2. Exposure controls





### 8.2.1. Appropriate engineering controls

Ensure adequate ventilation of the working area.



## cleaningsolutions

urbanhygiene best value, award winning, cleaning solutions

Revision Revision date 2016-02-08

8.2. Exposure controls

8.2.2. Individual protection measures

Wear protective clothing.

Skin protection -Handprotection

Wear suitable gloves.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid

> Colour Translucent/Orange

Odour Slight

Odour threshold No data available

> No data available Ηα

Melting point No data available

No data available Freezing Point

Initial boiling point 196 °C

> Flash point > 103 °C

**Evaporation rate** No data available

Flammability (solid, gas) No data available

Vapour pressure No data available

Vapour density

No data available

Relative density

1.092 (H2O = 1 @ 20 °C)

**Fat Solubility** 

No data available 0.19 log P

Partition coefficient

Autoignition temperature

370 °C

Viscosity

2.6 mPas (Cone & Plate) No data available

**Explosive properties** 

No data available

Oxidising properties Solubility

No data available

#### 9.2. Other information

Conductivity

No data available

Surface tension

No data available

Gas group

No data available

Benzene Content

0 %

Lead content

0 %

VOC (Volatile organic

No data available

compounds)

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Strong acids.

#### 10.4. Conditions to avoid

None.

#### 10.5. Incompatible materials

Strong acids. Strong oxidising agents.

#### 10.6. Hazardous decomposition products



urbanhygiene best value, award winning, cleaning solutions

Revision 0
Revision date 2016-02-08

10.6. Hazardous decomposition products

Will not decompose if stored and used as recommended.

## SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity No Sig

Skin corrosion/irritation

Serious eye damage/irritation

Respiratory or skin sensitisation

Germ cell mutagenicity

Carcinogenicity
Reproductive toxicity
Aspiration hazard
Repeated or prolonged
exposure

No Significant Hazard.

May cause irritation to skin.

May cause irritation to eyes.

 $No \ Significant \ Hazard.$ 

No Significant Hazard.

#### 11.1.4. Toxicological Information

Dimethyl Succinate Oral Rat LD50: >5,000mg/kg Dermal Rabbit LD50: >2,000mg/kg

#### SECTION 12: Ecological information

#### 12.2. Persistence and degradability

No data is available on this product.

#### 12.3. Bioaccumulative potential

No data is available on this product.

#### Partition coefficient

Easy Off Graffiti Remover 0.19 log P

#### 12.4. Mobility in soil

No data is available on this product.

#### 12.5. Results of PBT and vPvB assessment

No data is available on this product.

#### 12.6. Other adverse effects

No known adverse environmental effects.

#### SECTION 13: Disposal considerations

#### General information

Dispose of in compliance with all local and national regulations. 01 03 99 wastes not otherwise specified.

#### Disposal methods

Can be sent to landfill if in compliance with local & National regulations. The product is classified as non hazardous.

#### Disposal of packaging

Empty containers can be sent for disposal or recycling

#### SECTION 14: Transport information

#### ADR/RID

The product is not classified as dangerous for carriage.

#### **IMDG**



Revision 0
Revision date 2016-02-08

IMDG
The product is not classified as dangerous for carriage.

IATA
The product is not classified as dangerous for carriage.

Further information
The product is not classified as dangerous for carriage.

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Regulations

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### SECTION 16: Other information

#### Other information

<b>Text of Hazard Statements in</b> Eye Irrit. 2: H319 - Causes serious eye irritation.				
Section 3				
Further information				
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.			